



ATTORNEY DOCKET NUMBER 50125/008901

RECEIVED  
PATENT  
APR 19 2001  
TECH CENTER 1600/2900

Certificate of Mailing: Date of Deposit: April 6, 2001

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Colleen Coyne

Printed name of person mailing correspondence

Colleen Coyne

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Marion Elke Hofmann et al.      Art Unit: 1653  
Serial No.: 09/445,362      Examiner: K. Carlson  
Filed: May 15, 2000      Customer No.: 21559  
Title: MYOCARDIUM-AND SKELETAL MUSCLE-SPECIFIC NUCLEIC  
ACID, ITS PREPARATION AND USE

Assistant Commissioner for Patents  
Washington, D.C. 20231

REPLY TO NOTICE TO COMPLY WITH REQUIREMENTS  
FOR PATENT APPLICATIONS CONTAINING  
NUCLEOTIDE AND/OR AMINO ACID SEQUENCES

In reply to the Notice To Comply mailed February 21, 2001, Applicant submits the following:


- A substitute copy of the sequence listing in computer readable form.
- A statement that the contents of the paper and computer readable copies are the same and contain no new matter.

Enclosed is a petition to extend the period for replying one month, to and including April 21, 2001.

If there are any charges, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 6 April 2001

  
\_\_\_\_\_  
Karen L. Elbing, Ph.D.  
Reg. No. 35,238

Clark & Elbing LLP  
176 Federal Street  
Boston, MA 02110  
Telephone: 617-428-0200  
Facsimile: 617-428-7045



21559

PATENT TRADEMARK OFFICE



Application No.: 09/445362

**NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING  
NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES**

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

- ☒ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☐ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☐ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☐ 7. Other: \_\_\_\_\_

**Applicant Must Provide:**

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".
- ☒ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216

For CRF Submission Help, call (703) 308-4212

For PatentIn software help, call (703) 308-6856

**PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE**